

**Patient-level batch recall of Warfant 3mg Tablets, PA 0073/139/002**

Batch number	Expiry date
25002	03/2030

17-Aug-2026

Dear Doctor / Prescriber,

We are writing to inform you of a patient-level recall of batch no. 25002 of Warfant 3mg Tablets, PA 0073/139/002. This recall action has been agreed with the Health Products Regulatory Authority (HPRA).

Background

The recall follows the receipt of an Irish market product quality complaint in which a sealed container labelled as Warfant 3 mg Tablets (batch no. 25002) was opened by a pharmacist and all tablets within the container were Warfant 1 mg Tablets. The defect was identified by the pharmacist before dispensing. One report in total for this issue has been received to date, and it is considered that the rate of this defect is low within the batch.

Action requested

Pharmacists have been requested to contact patients or their carers who may have been supplied with the impacted batch, to request they check that their Warfant 3mg Tablets are the correct strength. If any 1mg tablets present within a container labelled as 3mg are identified at patient level, patients or their carers are being advised not to use the tablets, and to return the tablets to their pharmacy at their earliest opportunity, where they will obtain a replacement.



Patients are also being advised to contact their prescriber at their earliest opportunity if they have consumed any of the 1mg strength tablets. Therefore, you may be contacted by a patient or pharmacist in that regard.

For any patient in whom exposure to the affected batch is confirmed or suspected, further clinical review, including INR assessment where appropriate, should be considered.

Suspected adverse reactions should be reported to the Health Products Regulatory Authority (HPRA) at medsafety@hpra.ie and to Mercury Pharmaceuticals using the contact details below.


For medical information, product quality enquiries, or questions relating to this recall, please contact:

Email: medicalinformation@advanzpharma.com

Ireland telephone: +353 1800 851 119

There is replacement unaffected stock available for supply at this time. We apologise for any inconvenience this recall may cause and appreciate your support in ensuring appropriate patient follow-up.

Yours Sincerely,

Signed by:

9236D4601BA7485...

August 14, 2026 | 16:21 BST

Dr Kayur Patel
Vice-President, Medical Affairs