

VPA10996/053/001

Metricure 500 mg Intrauterine Suspension

Variation	Summary	Date
Vet - F.I.f.1	VRA-S - Vet - F.I.f.1 - 1. Substantial changes in the updated version of the ASMF or the active substance part of the dossier - F.I.f.1 Quality Changes - Active Substance - Other changes to the active substance - Substantial changes in the updated version of the ASMF or the active substance part of the dossier	22/01/25
Vet - G.I.18	VRA-S - Vet - G.I.18 - One-off alignment of the product information with version 9.0 (or the latest version of the QRD templates that are in effect at the time that this one-off variation is submitted) of the QRD templates i.e. major update of the QRD templates in accordance with Regulation (EU) 2019/6, for veterinary medicinal products placed on the market in accordance with Directive 2001/82/EC or Regulation (EC) No 726/2004 - G.I.18 Safety, Efficacy, Pharmacovigilance changes - One-off alignment of the product information with version 9.0 (or the latest version of the QRD templates that are in effect at the time that this one-off variation is submitted) of the QRD templates i.e. major update of the QRD templates in accordance with Regulation (EU) 2019/6, for veterinary medicinal products placed on the market in accordance with Directive 2001/82/EC or Regulation (EC) No 726/2004	19/07/24
Vet - B12 a)	VNRA - Vet - B12 a) - a) Minor changes to an approved test procedure (active, finished product, packaging, measuring device) - B12 a) Changes to the quality part of the dossier: Minor changes — to an approved test procedure — for active substance; — for the finished product; —for the immediate packaging of the active substance or the finished product; — of a measuring or administration device	03/03/23
Vet - F.II.d.1 a)	VRA-S - Vet - F.II.d.1 a) - a) Change outside the approved specifications limits range - F.II.d.1 a) Quality Changes - Finished Product -Control of finished product - Change in the specification parameters and/or limits of the finished product - Change outside the approved specifications limits range	01/02/23
Vet - B12 a)	VNRA - Vet - B12 a) - a) Minor changes to an approved test procedure (active, finished product, packaging, measuring device) - B12 a) Changes to the quality part of the dossier: Minor changes — to an approved test procedure — for active substance; — for the finished product; —for the immediate packaging of the active substance or the finished product; — of a measuring or administration device	23/12/22
Vet - B12 a)	VNRA - Vet - B12 a) - a) Minor changes to an approved test procedure (active, finished product, packaging, measuring device) - B12 a) Changes to the quality part of the dossier: Minor changes — to an approved test procedure — for active substance; — for the finished product; —for the immediate packaging of	22/12/22

	the active substance or the finished product; — of a measuring or administration device	
--	---	--