

**VPA10996/100/001**

**Porcilis APP suspension for injection for pigs**

| <b>Variation</b> | <b>Summary</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>Date</b> |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Vet - C6         | VNRA - Vet - C6 - - Vet - C6 - Introduction of a summary of the PSMF or changes to the summary of the PSMF not already covered elsewhere in this Annex                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 17/02/26    |
| Vet - G.I.18     | VRA-S - Vet - G.I.18 - One-off alignment of the product information with version 9.0 (or the latest version of the QRD templates that are in effect at the time that this one-off variation is submitted) of the QRD templates i.e. major update of the QRD templates in accordance with Regulation (EU) 2019/6, for veterinary medicinal products placed on the market in accordance with Directive 2001/82/EC or Regulation (EC) No 726/2004 - G.I.18 Safety, Efficacy, Pharmacovigilance changes - One-off alignment of the product information with version 9.0 (or the latest version of the QRD templates that are in effect at the time that this one-off variation is submitted) of the QRD templates i.e. major update of the QRD templates in accordance with Regulation (EU) 2019/6, for veterinary medicinal products placed on the market in accordance with Directive 2001/82/EC or Regulation (EC) No 726/2004 | 25/06/24    |
| B.II.d.2.d       | IB - B.II.d.2.d - d) Other changes to a test procedure (including replacement or addition) - B.II.d.2.d - QUALITY CHANGES - FINISHED PRODUCT - Control of finished product - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 07/02/22    |