

VPA10996/146/001

Heptavac P Plus

| Variation | Summary | Date |
|-------------------|---|----------|
| Vet - B3 a) | VNRA - Vet - B3 a) - a) Deletion of a manufacturing site for an active substance, intermediate or finished product, packaging site, manufacturer responsible for batch release, site where batch control takes place, or supplier of a starting material for an active substance, reagent or excipient (when mentioned in the dossier) - B3 a) Changes to the quality part of the dossier: Deletion of a manufacturing site for an active substance, intermediate or finished product, packaging site, manufacturer responsible for batch release, site where batch control takes place, or supplier of a starting material for an active substance, reagent or excipient (when mentioned in the dossier) | 29/01/25 |
| Vet - F.I.b.2 z) | VRA-S - Vet - F.I.b.2 z) - z) Other changes under this code level e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021 - F.I.b.2 z) Quality Changes - Active Substance - Control of active substance - Change in test procedure for active substance or starting material/reagent/intermediate used in the manufacturing process of the active substance - Other changes under this code level, e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021 | 20/11/24 |
| Vet - F.II.d.2 z) | VRA-S - Vet - F.II.d.2 z) - z) Other changes under this code level e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021 - F.II.d.2 z) Quality Changes - Finished Product -Control of finished product - Change in test procedure for the finished product - Other changes under this code level, e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021 | 20/11/24 |
| Vet - F.II.d.2 a) | VRA-S - Vet - F.II.d.2 a) - a) Substantial change to, or replacement of, a biological/ immunological/ immunochemical test method or a method using a biological reagent or replacement of a biological reference preparation not covered by an approved protocol - F.II.d.2 a) Quality Changes - Finished Product -Control of finished product - Change in test procedure for the finished product - Substantial change to, or replacement of, a biological/ immunological/ immunochemical test method or a method using a biological reagent or replacement of a biological reference preparation not covered by an approved protocol | 24/09/24 |
| Vet - G.I.18 | VRA-S - Vet - G.I.18 - One-off alignment of the product information with version 9.0 (or the latest version of the QRD templates that are in effect at the time that this one-off variation is submitted) of the QRD templates i.e. major update of the QRD templates in accordance with Regulation (EU) | 20/09/24 |

| | | |
|----------------------|---|----------|
| | 2019/6, for veterinary medicinal products placed on the market in accordance with Directive 2001/82/EC or Regulation (EC) No 726/2004 - G.I.18 Safety, Efficacy, Pharmacovigilance changes - One-off alignment of the product information with version 9.0 (or the latest version of the QRD templates that are in effect at the time that this one-off variation is submitted) of the QRD templates i.e. major update of the QRD templates in accordance with Regulation (EU) 2019/6, for veterinary medicinal products placed on the market in accordance with Directive 2001/82/EC or Regulation (EC) No 726/2004 | |
| Vet - B47 b) | VNRA - Vet - B47 b) - b) Change to comply with an update of the relevant monograph of the Ph. Eur. or national pharmacopoeia of a Member State - B47 b) Changes to the quality part of the dossier: Change to comply with Ph. Eur. or with a national pharmacopoeia of a Member State: — change to comply with an update of the relevant monograph of the Ph. Eur. or national pharmacopoeia of a Member State | 20/10/23 |
| Vet - F.II.d.2 b) | VRA-S - Vet - F.II.d.2 b) - b) Other changes to a test procedure (including replacement or addition) - F.II.d.2 b) Quality Changes - Finished Product -Control of finished product - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition) | 01/08/23 |
| Vet - F.II.b.2 a) 1. | VRA-S - Vet - F.II.b.2 a) 1. - a) Replacement or addition of a site where batch control/testing takes place 1. Replacement or addition of a site where batch control/testing takes place for a biological/immunological veterinary medicinal product and any of the test methods performed at the site is a biological/immunological method - F.II.b.2 a) 1. Quality Changes - Finished Product -Manufacture - Change to importer, batch release arrangements and quality control testing of the finished product - Replacement or addition of a site where batch control/testing takes place - Replacement or addition of a site where batch control/testing takes place for a biological/immunological veterinary medicinal product and any of the test methods performed | 17/04/23 |
| Vet - F.II.d.2 b) | VRA-S - Vet - F.II.d.2 b) - b) Other changes to a test procedure (including replacement or addition) - F.II.d.2 b) Quality Changes - Finished Product -Control of finished product - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition) | 17/04/23 |
| Vet - F.II.d.2 b) | VRA-R - Vet - F.II.d.2 b) - b) Other changes to a test procedure (including replacement or addition) - F.II.d.2 b) Quality Changes - Finished Product -Control of finished product - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition) | 17/04/23 |
| Vet - F.I.a.2 b) | VRA-S - Vet - F.I.a.2 b) - b) The change refers to a biological / | 29/03/23 |

| | | |
|------------------|--|----------|
| | immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol - F.I.a.2 b) Quality Changes - Active Substance - Manufacture - Changes in the manufacturing process of the active substance - The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol | |
| Vet - F.I.b.2 a) | VRA-S - Vet - F.I.b.2 a) - a) Substantial change to or replacement of a biological/immunological/immunochemical test - F.I.b.2 a) Quality Changes - Active Substance - Control of active substance - Change in test procedure for active substance or starting material/reagent/intermediate used in the manufacturing process of the active substance - Substantial change to or replacement of a biological/immunological/immunochemical test | 29/03/23 |
| B.I.b.2.d | II - B.I.b.2.d - d) Substantial change to or replacement of a biological/ immunological/ immunochemical test method or a method using a biological reagent for a biological active substance - B.I.b.2.d - QUALITY CHANGES - ACTIVE SUBSTANCE - Control of active substance - Change in test procedure for active substance or starting material/reagent/intermediate used in the manufacturing process of the active substance - Substantial change to or replacement of a biological/ immunological/ immunochemical test method or a method using a biological reagent for a biological active substance | 17/06/22 |
| B.I.b.2.d | II - B.I.b.2.d - d) Substantial change to or replacement of a biological/ immunological/ immunochemical test method or a method using a biological reagent for a biological active substance - B.I.b.2.d - QUALITY CHANGES - ACTIVE SUBSTANCE - Control of active substance - Change in test procedure for active substance or starting material/reagent/intermediate used in the manufacturing process of the active substance - Substantial change to or replacement of a biological/ immunological/ immunochemical test method or a method using a biological reagent for a biological active substance | 17/06/22 |
| B.I.b.2.d | II - B.I.b.2.d - d) Substantial change to or replacement of a biological/ immunological/ immunochemical test method or a method using a biological reagent for a biological active substance - B.I.b.2.d - QUALITY CHANGES - ACTIVE SUBSTANCE - Control of active substance - Change in test procedure for active substance or starting material/reagent/intermediate used in the manufacturing process of the active substance - Substantial change to or | 17/06/22 |

| | | |
|------------------|--|----------|
| | replacement of a biological/ immunological/ immunochemical test method or a method using a biological reagent for a biological active substance | |
| B.II.d.2.d | IB - B.II.d.2.d - d) Other changes to a test procedure (including replacement or addition) - B.II.d.2.d - QUALITY CHANGES - FINISHED PRODUCT - Control of finished product - Change in test procedure for the finished product - Other changes to a test procedure (including replacement or addition) | 10/06/22 |
| Vet - F.I.a.2 b) | VRA-S - Vet - F.I.a.2 b) - b) The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol - F.I.a.2 b) Quality Changes - Active Substance - Manufacture - Changes in the manufacturing process of the active substance - The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol | 26/05/22 |
| B.I.a.2.c | II - B.I.a.2.c - c) The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol - B.I.a.2.c - QUALITY CHANGES - ACTIVE SUBSTANCE - Manufacture - Changes in the manufacturing process of the active substance - The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol | 16/02/22 |
| B.I.a.2.c | II - B.I.a.2.c - c) The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol - B.I.a.2.c - QUALITY CHANGES - ACTIVE SUBSTANCE - Manufacture - Changes in the manufacturing process of the active substance - The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol | 16/02/22 |

| | | |
|-----------|---|----------|
| B.I.a.2.c | II - B.I.a.2.c - c) The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol - B.I.a.2.c - QUALITY CHANGES - ACTIVE SUBSTANCE - Manufacture - Changes in the manufacturing process of the active substance - The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol | 16/02/22 |
| B.I.a.2.c | II - B.I.a.2.c - c) The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol - B.I.a.2.c - QUALITY CHANGES - ACTIVE SUBSTANCE - Manufacture - Changes in the manufacturing process of the active substance - The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol | 16/02/22 |
| B.I.a.2.c | II - B.I.a.2.c - c) The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol - B.I.a.2.c - QUALITY CHANGES - ACTIVE SUBSTANCE - Manufacture - Changes in the manufacturing process of the active substance - The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol | 16/02/22 |
| B.I.a.2.c | II - B.I.a.2.c - c) The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol - B.I.a.2.c - QUALITY CHANGES - ACTIVE SUBSTANCE - Manufacture - Changes in the manufacturing process of the active substance - The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol | 16/02/22 |

| | | |
|-----------|--|----------|
| | active substance - The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol | |
| B.I.b.2.e | IB - B.I.b.2.e - e) Other changes to a test procedure (including replacement or addition) for the active substance or a starting material/intermediate - B.I.b.2.e - QUALITY CHANGES - ACTIVE SUBSTANCE - Control of active substance - Change in test procedure for active substance or starting material/reagent/intermediate used in the manufacturing process of the active substance - Other changes to a test procedure (including replacement or addition) for the active substance or a starting material/intermediate | 16/02/22 |