

VPA10815/063/001

Cevac Salmovac Lyophilisate for use in drinking water for chickens

Variation	Summary	Date
Vet - F.II.f.1 z)	VRA-R - Vet - F.II.f.1 z) - z) Other changes under this code level e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021 - F.II.f.1 z) Quality Changes -Stability - Change in the shelf-life or storage conditions of the finished product - Other changes under this code level, e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021	06/02/25
Vet - F.I.a.1 d)	VRA-S - Vet - F.I.a.1 d) - d) The change relates to a biological/immunological active substance or a starting material/reagent/intermediate used in the manufacture of a biological/immunological product - F.I.a.1 d) - Quality Changes - Active Substance - Manufacture - Change in the manufacturer of a starting material/reagent/intermediate used in the manufacturing process of the active substance or change in the manufacturer (including where relevant quality control testing sites) of the active substance, where no Ph. Eur. Certificate of Suitability is part of the approved dossier - The change relates to a biological/immunological active substance or a starting material/reagent/intermediate used in the manufacture of a biological/immunological product	06/02/25
Vet - F.II.b.5 z)	VRA-S - Vet - F.II.b.5 z) - z) Other changes under this code level e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021 - F.II.b.5 z) Quality Changes - Finished Product -Manufacture - Change to in-process tests or limits applied during the manufacture of the finished product - Other changes under this code level, e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021	06/02/25
Vet - F.II.b.2 a) 1.	VRA-S - Vet - F.II.b.2 a) 1. - a) Replacement or addition of a site where batch control/testing takes place 1. Replacement or addition of a site where batch control/testing takes place for a biological/immunological veterinary medicinal product and any of the test methods performed at the site is a biological/immunological method - F.II.b.2 a) 1. Quality Changes - Finished Product -Manufacture - Change to importer, batch release arrangements and quality control testing of the finished product - Replacement or addition of a site where batch control/testing takes place - Replacement or addition of a site where batch control/testing takes place for a biological/immunological veterinary medicinal product and any of the test methods performed	06/02/25
Vet - F.II.b.1 a)	VRA-S - Vet - F.II.b.1 a) - a) Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for biological/immunological veterinary medicinal products, or for pharmaceutical forms	06/02/25

	<p>manufactured by complex manufacturing processes - F.II.b.1</p> <p>a) Quality Changes - Finished Product -Manufacture - Replacement or addition of a manufacturing site for part or all of the manufacturing process of the finished product - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for biological/immunological veterinary medicinal products, or for pharmaceutical forms manufactured by complex manufacturing processes</p>	
Vet - F.I.a.1 d)	<p>VRA-S - Vet - F.I.a.1 d) - d) The change relates to a biological/immunological active substance or a starting material/reagent/intermediate used in the manufacture of a biological/immunological product - F.I.a.1 d) - Quality Changes - Active Substance - Manufacture - Change in the manufacturer of a starting material/reagent/intermediate used in the manufacturing process of the active substance or change in the manufacturer (including where relevant quality control testing sites) of the active substance, where no Ph. Eur. Certificate of Suitability is part of the approved dossier - The change relates to a biological/immunological active substance or a starting material/reagent/intermediate used in the manufacture of a biological/immunological product</p>	06/02/25
Vet - G.I.18	<p>VRA-S - Vet - G.I.18 - One-off alignment of the product information with version 9.0 (or the latest version of the QRD templates that are in effect at the time that this one-off variation is submitted) of the QRD templates i.e. major update of the QRD templates in accordance with Regulation (EU) 2019/6, for veterinary medicinal products placed on the market in accordance with Directive 2001/82/EC or Regulation (EC) No 726/2004 - G.I.18 Safety, Efficacy, Pharmacovigilance changes - One-off alignment of the product information with version 9.0 (or the latest version of the QRD templates that are in effect at the time that this one-off variation is submitted) of the QRD templates i.e. major update of the QRD templates in accordance with Regulation (EU) 2019/6, for veterinary medicinal products placed on the market in accordance with Directive 2001/82/EC or Regulation (EC) No 726/2004</p>	08/08/23
Vet - G.I.4	<p>VRA-S - Vet - G.I.4 - Change(s) in the Summary of Product Characteristics, Labelling or Package Leaflet due to new quality, preclinical, clinical or pharmacovigilance data. - G.I.4 Safety, Efficacy, Pharmacovigilance changes - Change(s) in the Summary of Product Characteristics, Labelling or Package Leaflet due to new quality, preclinical, clinical or pharmacovigilance data.</p>	08/08/23