VPA10815/035/001

Prilactone Next 10 mg chewable tablets for dogs

Variation	Summary	Date
Vet - A1 a)	VNRA - Vet - A1 a) - - A1 a) Administrative changes - Change in the name or address of - the marketing authorisation holder	25/08/25
Vet - G.I.18	VRA-S - Vet - G.I.18 - One-off alignment of the product information with version 9.0 (or the latest version of the QRD templates that are in effect at the time that this one-off variation is submitted) of the QRD templates i.e. major update of the QRD templates in accordance with Regulation (EU) 2019/6, for veterinary medicinal products placed on the market in accordance with Directive 2001/82/EC or Regulation (EC) No 726/2004 - G.I.18 Safety, Efficacy, Pharmacovigilance changes - One-off alignment of the product information with version 9.0 (or the latest version of the QRD templates that are in effect at the time that this one-off variation is submitted) of the QRD templates i.e. major update of the QRD templates in accordance with Regulation (EU) 2019/6, for veterinary medicinal products placed on the market in accordance with Directive 2001/82/EC or Regulation (EC) No 726/2004	13/08/24
Vet - B37	VNRA - Vet - B37 - Change in shape or dimensions of the container or closure (immediate packaging) of a non-sterile finished product - B37 Changes to the quality part of the dossier: Change in shape or dimensions of the container or closure (immediate packaging) of a non-sterile finished product	21/05/24
Vet - B20	VNRA - Vet - B20 - Replacement or addition of a primary packaging site of a non-sterile finished product - B20 Changes to the quality part of the dossier: Replacement or addition of a primary packaging site of a non-sterile finished product	21/05/24
Vet - B21	VNRA - Vet - B21 - Replacement or addition of a secondary packaging site of a finished product - B21 Changes to the quality part of the dossier: Replacement or addition of a secondary packaging site of a finished product	21/05/24
Vet - B37	VNRA - Vet - B37 - Change in shape or dimensions of the container or closure (immediate packaging) of a non-sterile finished product - B37 Changes to the quality part of the dossier: Change in shape or dimensions of the container or closure (immediate packaging) of a non-sterile finished product	14/05/24
Vet - B20	VNRA - Vet - B20 - Replacement or addition of a primary packaging site of a non-sterile finished product - B20	14/05/24

	Changes to the quality part of the dossier: Replacement or addition of a primary packaging site of a non-sterile finished product	
Vet - B21	VNRA - Vet - B21 - Replacement or addition of a secondary packaging site of a finished product - B21 Changes to the quality part of the dossier: Replacement or addition of a secondary packaging site of a finished product	14/05/24
Vet - B44(Do not use)	VNRA - Vet - B44 - Submission of a new or updated Ph. Eur. CEP from an already approved manufacturer for a non-sterile active substance, starting material, reagent or intermediate, excipient - B44 Changes to the quality part of the dossier: Submission of a new or updated Ph. Eur. CEP from an already approved manufacturer for a non-sterile: — active substance; — starting material, reagent or intermediate used in the manufacturing process of the active substance; — excipient	06/01/23
Vet - F.II.e.2 z)	VRA-R - Vet - F.II.e.2 z) - z) Other changes under this code level e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021 - F.II.e.2 z) Quality Changes - Container closure system - Change in the specification parameters and/or limits of the immediate packaging of the finished product - Other changes under this code level, e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021	09/12/22
Vet - B12 a)	VNRA - Vet - B12 a) - a) Minor changes to an approved test procedure (active, finished product, packaging, measuirng device) - B12 a) Changes to the quality part of the dossier: Minor changes — to an approved test procedure — for active substance; — for the finished product; —for the immediate packaging of the active substance or the finished product; — of a measuring or administration device	30/09/22