## VPA10454/029/003

## BOVALTO RESPI INTRANASAL, nasal spray, lyophilisate and solvent for suspension

Variation	Summary	Date
Vet - G.I.4	VRA-S - Vet - G.I.4 - Change(s) in the Summary of Product Characteristics, Labelling or Package Leaflet due to new quality, preclinical, clinical or pharmacovigilance data G.I.4 Safety, Efficacy, Pharmacovigilance changes - Change(s) in the Summary of Product Characteristics, Labelling or Package Leaflet due to new quality, preclinical, clinical or pharmacovigilance data.	10/04/25
Vet - F.II.d.1 a)	VRA-S - Vet - F.II.d.1 a) - a) Change outside the approved specifications limits range - F.II.d.1 a) Quality Changes - Finished Product -Control of finished product - Change in the specification parameters and/or limits of the finished product - Change outside the approved specifications limits range	10/04/25
Vet - F.II.b.4 a)	VRA-S - Vet - F.II.b.4 a) - a) The change requires assessment of the comparability of a biological/immunological veterinary medicinal product or the change in batch size requires a new bioequivalence study - F.II.b.4 a) Quality Changes - Finished Product -Manufacture - Change in the batch size (including batch size ranges) of the finished product - The change requires assessment of the comparability of a biological/immunological veterinary medicinal product or the change in batch size requires a new bioequivalence study	10/04/25
Vet - F.I.b.2 z)	VRA-S - Vet - F.I.b.2 z) - z) Other changes under this code level e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021 - F.I.b.2 z) Quality Changes - Active Substance - Control of active substance - Change in test procedure for active substance or starting material/reagent/intermediate used in the manufacturing process of the active substance - Other changes under this code level, e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021	10/04/25
Vet - F.I.a.3 a)	VRA-S - Vet - F.I.a.3 a) - a) The change requires assessment of the comparability of a biological/immunological active substance - F.I.a.3 a) Quality Changes - Active Substance - Manufacture -Change in batch size (including batch size ranges) of active substance or intermediate used in the manufacturing process of the active substance - The change requires assessment of the comparability of a biological/immunological active substance	10/04/25
Vet - F.I.a.3 a)	VRA-S - Vet - F.I.a.3 a) - a) The change requires assessment of the comparability of a biological/immunological active substance - F.I.a.3 a) Quality Changes - Active Substance - Manufacture -Change in batch size (including batch size ranges) of active substance or intermediate used in the manufacturing process of the active substance - The change	10/04/25

	requires assessment of the comparability of a	
	biological/immunological active substance	
	VRA-S - Vet - F.I.a.2 b) - b) The change refers to a biological /	
	immunological substance or use of a different chemically	
	derived substance in the manufacture of a	
	biological/immunological substance, which may have a	
	significant impact on the quality, safety and efficacy of the	
	medicinal product and is not related to a protocol - F.I.a.2 b)	
Vet - F.I.a.2 b)	Quality Changes - Active Substance - Manufacture - Changes	10/04/25
	in the manufacturing process of the active substance - The	
	change refers to a biological / immunological substance or use	
	of a different chemically derived substance in the manufacture	
	of a biological/immunological substance, which may have a	
	significant impact on the quality, safety and efficacy of the	
	medicinal product and is not related to a protocol	
	VRA-S - Vet - F.I.a.2 b) - b) The change refers to a biological /	
	immunological substance or use of a different chemically	
	derived substance in the manufacture of a	
	biological/immunological substance, which may have a	
	significant impact on the quality, safety and efficacy of the	10/04/25
	medicinal product and is not related to a protocol - F.I.a.2 b)	
Vet - F.I.a.2 b)	Quality Changes - Active Substance - Manufacture - Changes	
	in the manufacturing process of the active substance - The	
	change refers to a biological / immunological substance or use	
	of a different chemically derived substance in the manufacture	
	of a biological/immunological substance, which may have a	
	significant impact on the quality, safety and efficacy of the	
	medicinal product and is not related to a protocol	
	VRA-R - Vet - F.I.a.1 z) - z) Other changes under this code	
	level e.g. variations outlined in section 6 and 7 of	
	EMA/CMDv/7381/2021 - F.I.a.1 z) - Quality Changes - Active	
	Substance - Manufacture - Change in the manufacturer of a	
	starting material/reagent/intermediate used in the	
Vet - F.I.a.1 z)	manufacturing process of the active substance or change in the	03/08/23
	manufacturer (including where relevant quality control testing	
	sites) of the active substance, where no Ph. Eur. Certificate of	
	Suitability is part of the approved dossier - Other changes	
	under this code level, e.g. variations outlined in section 6 and 7	
	of EMA/CMDv/7381/2021	
Vet - F.III.1 b) 1.	VRA-S - Vet - F.III.1 b) 1 b) European Pharmacopoeial TSE	
	Certificate of suitability for an active substance/starting	
	material/reagent/ intermediate/or excipient 1. New/updated	
	certificate from an already- approved/new manufacturer using	03/08/23
	materials of human or animal origin for which an assessment of the risk with respect to potential contamination with	
	adventitious agents is required - F.III.1 b) 1. Quality Changes -	
	CEP/TSE/MONOGRAPHS - Submission of a new or updated	
	Ph. Eur. certificate of suitability or deletion of Ph. Eur.	
	certificate of suitability: -For an active substance -For a starting	
	material/reagent/intermediate used in the manufacturing	
	material/reagent/internetiale used in the manufacturing	

	process of the active substance -For an excipient European Pharmacopoeial TSE Certificate of suitability for an active substance/starting material/reagent/ intermediate/or excipient - New/updated certificate from an already- approved/new manufacturer using materials of human or animal origin for which an assessment of the risk with respect to potential	
Vet - C1	contamination with adventitious agents is required VNRA - Vet - C1 - Change(s) in the name or address or contact details of a qualified person for pharmacovigilance (QPPV) - C1 Changes to the safety, efficacy and pharmacovigilance part of the dossier: Change(s) in the name or address or contact details of a qualified person for pharmacovigilance (QPPV)	21/04/23
Vet - C6	VNRA - Vet - C6 - Introduction of a summary of the PSMF or changes to the summary of the PSMF not already covered elsewhere in the Annex to Regulation (EU) 2021/17 - C6 Changes to the safety, efficacy and pharmacovigilance part of the dossier: Introduction of a summary of the PSMF or changes to the summary of the PSMF not already covered elsewhere in the Annex to Regulation (EU) 2021/17	21/04/23
Vet - G.I.18	VRA-S - Vet - G.I.18 - One-off alignment of the product information with version 9.0 (or the latest version of the QRD templates that are in effect at the time that this one-off variation is submitted) of the QRD templates i.e. major update of the QRD templates in accordance with Regulation (EU) 2019/6, for veterinary medicinal products placed on the market in accordance with Directive 2001/82/EC or Regulation (EC) No 726/2004 - G.I.18 Safety, Efficacy, Pharmacovigilance changes - One-off alignment of the product information with version 9.0 (or the latest version of the QRD templates that are in effect at the time that this one-off variation is submitted) of the QRD templates i.e. major update of the QRD templates in accordance with Regulation (EU) 2019/6, for veterinary medicinal products placed on the market in accordance with Directive 2001/82/EC or Regulation (EC) No 726/2004	08/03/23
Vet - F.II.e.5 b)	VRA-S - Vet - F.II.e.5 b) - b) Change in the fill weight/fill volume of sterile multidose (or single-dose, partial use) parenteral medicinal products, including biological/immunological medicinal products F.II.e.5 b) Quality Changes - Container closure system -Change in pack size of the finished product - Change in the fill weight/fill volume of sterile multidose (or single-dose, partial use) parenteral medicinal products, including biological/immunological medicinal products.	08/03/23