

LABELLING

PARTICULARS TO APPEAR ON THE OUTER PACKAGING

1. NAME OF THE MEDICINAL PRODUCT

(New logo)

Bite & Sting Relief
Antihistamine 2% w/w Cream
Mepyramine Maleate

2. STATEMENT OF ACTIVE SUBSTANCE(S)

This cream contains Mepyramine Maleate 2% w/w (20 mg/g)

3. LIST OF EXCIPIENTS

Also contains: purified water, cerostearyl alcohol, white soft paraffin, liquid paraffin, cetomacrogol 1000, anhydrous lanolin, sorbitan sesquioleate, sodium citrate, citric acid monohydrate

4. PHARMACEUTICAL FORM AND CONTENTS

2% w/w cream

5. METHOD AND ROUTE(S) OF ADMINISTRATION

Read all of this carton for full instructions.

6. SPECIAL WARNING THAT THE MEDICINAL PRODUCT MUST BE STORED OUT OF THE REACH AND SIGHT OF CHILDREN

Keep all medicines out of the sight and reach of children.

7. OTHER SPECIAL WARNING(S), IF NECESSARY

Cetostearyl alcohol and lanolin may cause skin reactions (e.g. contact dermatitis).

8. EXPIRY DATE

Use by:

Use by the date on the end flap of the carton and on the tube edge (refers to the last day of the month)

9. SPECIAL STORAGE CONDITIONS

Do not store above 25°

10. SPECIAL PRECAUTIONS FOR DISPOSAL OF UNUSED MEDICINAL PRODUCTS OR WASTE MATERIALS DERIVED FROM SUCH MEDICINAL PRODUCTS, IF APPROPRIATE

After this date return any unused product to your pharmacy for safe disposal.

11. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Taw Pharma (Ireland) Limited, 2 Dublin Landings, North Wall Quay, Dublin 1, D01 V4A3, Ireland

12. MARKETING AUTHORISATION NUMBER(S)
--

PA 23081/003/001

13. BATCH NUMBER

Lot:

14. GENERAL CLASSIFICATION FOR SUPPLY
--

GSL

15. INSTRUCTIONS ON USE

Relieves pain, itching and swelling
Soothing relief

What this medicine is for:

A soothing antihistamine cream for the relief of pain, itching and swelling caused by insect bites and stings and nettle stings.

Before you take this medicine

X Do not take:

- **If you are allergic** to any of the ingredients or other antihistamines
- **If you have eczema** or other skin conditions
- **If you are pregnant or breastfeeding**, unless your doctor tells you to
- **On broken skin**, sunburnt skin or on large areas of skin

✓ **How to use this medicine:**

Check the tube seal is not broken before first use. If it is, do not use the cream. Pierce tube seal with end of cap. Apply to the skin only.

Adults and children of 2 years and over:

Smooth a very small amount on to the affected area 2 or 3 times a day, for a maximum of 3 days.

Do not use on children under 2 years. If a rash develops, or the condition gets worse, stop using the cream. If symptoms do not go away talk to your doctor.

! If anyone accidentally swallows some: Talk to a doctor straight away.

Possible side effects

Most people will not have problems.

If you get any of these serious side effects, stop using the cream and see a doctor:

- Skin rash, red or itchy skin or worsening of the condition you are treating (signs of an allergic reaction)

If any side effect becomes severe, or you notice any side effect not listed here, please tell your pharmacist or doctor.

Reporting of side effects: If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed on this carton. You can also report side effects directly (see details below). By reporting side effects you can help provide information on the safety of this medicine.

Ireland: www.hpra.ie

16. INFORMATION IN BRAILLE

Boots Bite and Sting Relief Antihistamine 2% w/w cream

**PARTICULARS TO APPEAR ON THE INNER PACKAGING
TUBE LABEL**

1. NAME OF THE MEDICINAL PRODUCT

(New logo)

Bite & Sting Relief
Antihistamine 2% w/w Cream
Mepyramine Maleate

2. STATEMENT OF ACTIVE SUBSTANCE(S)

Mepyramine Maleate 2% w/w (20 mg/g)

3. LIST OF EXCIPIENTS

Also contains: purified water, cetostearyl alcohol, white soft paraffin, liquid paraffin, cetomacrogol 1000, anhydrous lanolin, sorbitan sesquioleate, sodium citrate, citric acid monohydrate.
See carton for further information

4. PHARMACEUTICAL FORM AND CONTENTS

2% w/w Cream

5. METHOD AND ROUTE(S) OF ADMINISTRATION

Read all of the enclosed leaflet for full instructions.
Apply to the skin only

**6. SPECIAL WARNING THAT THE MEDICINAL PRODUCT MUST BE STORED OUT OF
THE REACH AND SIGHT OF CHILDREN**

Keep all medicines out of the sight and reach of children.

7. OTHER SPECIAL WARNING(S), IF NECESSARY

8. EXPIRY DATE

Use by:

Use by the date on the tube edge and on the carton.

9. SPECIAL STORAGE CONDITIONS

Do not store above 25°

**10. SPECIAL PRECAUTIONS FOR DISPOSAL OF UNUSED MEDICINAL PRODUCTS OR
WASTE MATERIALS DERIVED FROM SUCH MEDICINAL PRODUCTS, IF APPROPRIATE**

11. NAME AND ADDRESS OF THE MARKETING AUTHORISATION HOLDER

Taw Pharma (Ireland) Ltd 104 Lower Baggot Street, Dublin 2, Dublin, Ireland, D02 Y940

12. MARKETING AUTHORISATION NUMBER(S)
--

PA 23081/003/001

13. BATCH NUMBER

Lot:

14. GENERAL CLASSIFICATION FOR SUPPLY
--

GSL

15. INSTRUCTIONS ON USE

Relieves pain, itching and swelling
Soothing relief

How to use this medicine:

Check the tube seal is not broken before first use. If it is, do not use the cream. Pierce tube seal with end of cap.

Apply to the skin only.

Adults and children of 2 years and over:

Smooth a very small amount on to the affected area 2 or 3 times a day, for a maximum of 3 days.

Do not use on children under 2 years.

If a rash develops, or the condition gets worse stop using the cream.