

Part II

Summary of Product Characteristics

1 NAME OF THE MEDICINAL PRODUCT

Pruricalm Lotion

2 QUALITATIVE AND QUANTITATIVE COMPOSITION

Camphor BP	0.50	% w/w
Menthol BP	0.50	% w/w
Benzyl Alcohol Ph.Eur	1.00	% w/w

3 PHARMACEUTICAL FORM

A lotion for topical application.

4 CLINICAL PARTICULARS

4.1 Therapeutic Indications

For the symptomatic relief of chronic dry itching dermatoses, including senile pruritis, nodular prurigo and neurodermatoses.

4.2 Posology and method of administration

Apply liberally to the affected area of skin, rubbing in gently. Repeat as necessary or as directed by your doctor.

4.3 Contraindications

Pruricalm should not be used on patients with known hypersensitivity to the product or any of its components.

4.4 Special warnings and precautions for use

For external use only.

Avoid contact with the eyes, nostrils and mucous membranes.

If irritation increases after application of Pruricalm, discontinue use.

The product should not be used on children under 2 years of age except under medical supervision.

Do not use under compresses or bandages.

4.5 Interaction with other medicinal products and other forms of interaction

None.

4.6 Pregnancy and lactation

No precautions for the use of Pruricalm in pregnancy are proposed. Pruricalm should not be applied to the nipples or surrounding skin during lactation.

4.7 Effects on ability to drive and use machines

None.

4.8 Undesirable effects

In rare cases sensitivity, discontinue use.

4.9 Overdose

In the unlikely event of adverse effects resulting from excessive use, discontinue treatment, rinse the skin thoroughly and apply emollients as necessary.

Accidental ingestion of small quantities of Pruricalm should not cause an adverse effect. Should more than 50 ml have been consumed, empty stomach by gastric lavage and aspiration. Administer a saline purgative, such as sodium sulphate, 30 g in 250 ml of water. Convulsions may be controlled with a short acting barbiturate such as thiopentone sodium or by diazepam.

5 PHARMACOLOGICAL PROPERTIES

5.1 Pharmacodynamic properties

Pruricalm contains long-standing antipruritics whose efficacy and safety has been documented extensively. The active ingredients act directly to depress the cutaneous sensory receptors for pain and itch and thus relieve the symptoms.

Camphor, at concentrations of 0.1 % - 3 % acts to depress the cutaneous sensor receptors and has a mild local anaesthetic action.

Menthol when present in concentrations of 0.1 % - 1 % stimulates the receptors for cold while depressing those for pain. It is normally used in combination with other antipruritics, commonly with camphor.

Benzyl alcohol is an aromatic alcohol and, as such, exerts a topical anaesthetic action. At the concentration used it is also bacteriostatic.

The FDA have approved combinations of camphor, menthol and benzyl alcohol for use in over-the-counter products.

The lotion base has been formulated for its soothing emollient properties to augment the antipruritic effects of the active ingredients.

5.2 Pharmacokinetic properties

Not applicable.

5.3 Preclinical safety data

Not applicable.

6 PHARMACEUTICAL PARTICULARS

6.1 List of excipients

Sonojel No. 9 (White Soft Paraffin BP)
Cetyl Alcohol
Stearic Acid
Polyethylene Glycol 400 Monostearate (PEG 400 MS)
Glyceryl PEG 100 Stearate
Isopropyl Myristate
Carbomer 940
Sodium Hydroxide
Perfume Bouquet MR564
Purified Water

6.2 Incompatibilities

None known.

6.3 Shelf Life

For the product as packaged for sale

Two years.

After first opening the container

Comply with expiry date.

6.4 Special precautions for storage

Pruricalm should be stored at temperatures below 25°C.

6.5 Nature and contents of container

High density polyethylene tubes containing 150ml.

6.6 Special precautions for disposal of a used medicinal product or waste materials derived from such medicinal product and other handling of the product

There are no special instructions for use or handling of Pruricalm.

7 MARKETING AUTHORISATION HOLDER

Stiefel Laboratories (UK) Ltd.
Holtspur Lane
Wooburn Green
High Wycombe
Buckinghamshire
HP10 0AU
United Kingdom

8 MARKETING AUTHORISATION NUMBER

PA 144/45/1

9 DATE OF FIRST AUTHORISATION/RENEWAL OF THE AUTHORISATION

Date of first authorisation: 03 June 2003

10 DATE OF REVISION OF THE TEXT