MIL-PAR

Please read the enclosed leaflet before use What Mil-Par Contains: Each 5ml spoonful contains: 300 mg of magnesium hydroxide and 1,25ml liquid paraffin. The other ingredients include sodium hydrogen carbonate. See leaflet for further information. How to take MilPar: Do not give to children under two years of age. For oral use only. If desired, the dose may be mixed with halful a glass of milk or water. Adults (including the elderly): Take 1 or 2 tablespoons (15 - 30ml) at bedtime. Children aged 7 years and over: Take ½ to 1 tablespoon (7.5 - 15 ml) at bedtime. Children aged 2 to 7 years: Take 1 or 2 teaspoons (5 – 10ml) at bedtime, Mil-Par should not

71MM

be given to children except on medical advice. Storage: keep out of the reach and sight of children. Do not store above 25°C. Use within 28 days of opening. PA Holder and Manufacturer:

Seven Seas Limited. Hedon Road, Marfleet, Kingston Upon Hull, HU9 5NJ, UK.

Mil-Par is a registered trademark. PA 417/14/1

Peel here but 200 ml e remove

PACKAGE LEAFLET: INFORMATION FOR THE USER

Mil-Par Magnesium hydroxide and Liquid paraffin What Mil-Par is and what it is used for. Mil-Par is a sugar free oral suspension containing a gentle laxative and a lubricant which together ease the discomfort associated with straining and bowel movement. It is recommended for the temporary relief of

constination

Before you take Mil-Par DO NOT give or take Mil-Par if you or your child: • Is allergic to magnesium hydroxide and / or liquid paraffin or to any other of the other ingredients (see section 'What Mil-Par contains") • Suffers from an appendicitis • Suffers from a blockage of the bowel (intestinal obstruction) • Suffers from an Inflammatory bowel disease such as crohn's disease or ulcerative colitis • Suffers from unexplained pain in the stomach (abdomen) Mil-Par must not be given to children under two years of age.

You Must Be Especially Careful. Tell your doctor or pharmacist Before Giving or Taking Mil-Par if you or your child: • Suffers from kidney disease • Finds swallowing difficult accidental leakage can occur into the lungs – do not keep trying to take Mil-Par • Has persistent stomach (abdominal) pain

Feel the need to take laxatives every day

Continued on next page

reach and sight of children. Do not use Mil-Par after the expiry date shown on the label. The expiry date refers to the last day of that month. Do not store above 25°C. Use within 28 days of opening. Medicines should not be thrown away in normal household waste. Return any unused medicine to a pharmacist. This will help to protect the environment.
Further information What Mil-par contains: Each 5ml spoonful of Mil-Par contains the active ingredients magnesium hydroxide 3.75ml and liquid paraffin 1.25ml. The other ingredients are sodium hydrogen carbonate and purified water. What Mil-Par looks like and contents of the pack: Mil-Par is a smooth, white! opaque oral suspension. Mil-Par is available in pack sizes of 100. 200 and 500ml. Not all pack sizes may be available. Product Authorisation Holder and Manufacturer: Seven Seas Limited, Hedon Road, Marfleet, Kingston-upon-Hull, HU9 5NJ, UK, Mil-Par is a registered trademark.

How to store Mil-Par Keep out of the

contact the licence holder at the above address. Label revision date: February 2014 MERCK'

200 ml \odot

EXP /BN -

PA 417/14/1

If you would like this leaflet in a different format, please

A6242G

VARNISH FREE AREA

ARTWORK PANEL

Master Ref: TR371371 ZEN Ref:

Job Description: Milpar Milpar 200ml ROI - Label A6242G

A6242G Stock Code: Action:

15/05/14 Date: Replaces Version: A6242F

Market/Country: Ireland

Cutter Profile: As A6242F

Printer: Chesapeake (Bourne, UK) Substrate:

Technical & Non Printing Items

Cutter

Guides

Colours PANTONE Reflex Blue C Release_Varnish

TRIDENT

Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

STUDIO USE ONLY Jamie Akrill

v1 0

Sm•Art check results: G=0: 0=2: R=0: - JA - 15/05/14 18:54:48

Are on a 'low sodium diet' (Mil-Par contains 0.684 mg sodium per 5ml dose) • Are under a doctor's care for any reason • Are taking any other medicines. This means medicines you have bought yourself as well as those you have on prescription from your doctor • Are pregnant, think you might be pregnant or are breast feeding. Important information about some of the ingredients of Mil-Par Mil-Par contains 0.684mg sodium per dose. To be taken into consideration by patients on a controlled sodium diet. How to take Mil-Par Always use Mil-Par exactly as indicated on this label. You should check with your pharmacist if you are not sure. For oral use only. The dose may be mixed with half a glass of milk or water if desired. Not recommended for children except on medical advice, Not recommended for children under two years of age. Do not continue to take this medicine for a long period of time. Dosage instructions: Adults (including the elderly): Take 1 or 2 tablespoons (15 – 30ml) before breakfast or at bedtime. Children aged 7 years and over: Take ½ to 1 tablespoon (7.5 – 15 ml) at bedtime. Children aged 2 to 7 years: Take 1 or 2 teaspoonfuls (5 - 10 ml) at bedtime.


or the pack with you so your doctor knows what you have taken. If you forget to take Mil-Par don't worry, do not take a double dose to make up for a missed dose, continue with your usual dose the next due time if your symptoms persist or you have any questions about taking Mil-Par, talk to your doctor or pharmacist. Possible side effects are: Inflammation and formation of lumps, Prolonged use may cause paraffin to leak from! the anus. This may irritate the area. Accidentally breathing in liquid paraffin may cause congestion of the lungs. If you notice these or any other side effects, stop use and tell your doctor or pharmacist. Reporting of side effects If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You' can also report side effects directly (see details below). By reporting side effects you can help provide more information on the safety of this medicine. Ireland: Freepost, Pharmacovigilance Section, Irish Medicnes Boar, Kevin O'Malley House, Earlsfort Centre, Earlsfort Terrace, Dublin 2, Ireland, Tel: +353 1 6764971, Fax +353 1 6762517, Website:

www.imb.ie, email: imbpharmacovigilance@imb.ie

Continued on next page

✓ If you take more Mil-Par than you should speak

to your doctor or pharmacist straightaway. Take your medicine



ARTWORK PANEL

TR371371

Job Description: Milpar Milpar 200ml ROI - Label A6242G

Stock Code: A6242G 15/05/14 A6242F

Market/Country: Ireland

Cutter Profile: As A6242F

Chesapeake (Bourne, UK)

Technical & Non Printing Items

Co	ours
----	------

PANTONE Reflex Blue C	Adhesive_Deadener	Varnish	Release_Varnis	h
1	2	3		4
FLX	FLX	FLX		FLX



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

> UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

STUDIO USE ONLY Jamie Akrill

Sm•Art check results: G=0; O=2; R=0; - JA - 15/05/14 18:54:48

v1.0

MIL-PAR

Please read the enclosed leaflet before use

What Mil-Par Contains: Each 5ml spoonful contains: 300 mg of magnesium hydroxide and 1.25 ml liquid paraffin. The other ingredients include sodium hydrogen carbonate. See leaflet for further information.

How to Take Mil-Par: Do not give to children under two years of age. For oral use only. If desired, the dose may be mixed with half a glass of milk or water. Adults (including the elderly): Take 1 or 2 tablespoons (15 – 30 ml) before breakfast, or at bedtime. Children aged 7 years and over: Take 1/2 to 1 tablespoons (7.5 – 15 ml) at bedtime. Children aged 2 to 7 years: Take 1 or 2 teaspoons (5 – 10 ml) at bedtime. Mil-Par should not be given to children except on medical advice.

Storage: keep out of the reach and sight of children.

100MM

Do not store above 25°C. Use within 28 days of opening.

PA Holder and Manufacturer:
Seven Seas Limited, Hedon Road,
Marfleet, Kingston-upon-Hull,
HU9 5NJ, UK.
Mil-Par is a registered trademark.

PA 417/14/1

Peel here but do not _remove____

PACKAGE LEAFLET: INFORMATION FOR THE USER

/Mil-Par Magnesium hydroxide and Liquid paraffin /What Mil-Par is and what it is used for. Mil-Par is a sugar /free oral suspension containing a gentle laxative and a lubricant which together ease the discomfort associated with straining and bowel movement. It is recommended for the temporary relief of constipation.

Before you take Mil-Par

DO NOT give or take Mil-Par if you or your child:

- le Is allergic to magnesium hydroxide and / or liquid paraffin or to any other of the other ingredients (see section 'What Mil-Par contains')
- Suffers from an appendicitis
- Suffers from a blockage of the bowel (intestinal obstruction)
- Suffers from an inflammatory bowel disease such as crohn's disease or ulcerative colitis
- Suffers from unexplained pain in the stomach (abdomen)
 Mil-Par must not be given to children under two years of age.
 You Must Be Especially Careful. Tell your doctor or pharmacist Before Giving or Taking Mil-Par if you or your child:
- Suffers from kidney disease
- Finds swallowing difficult accidental leakage can occur into the lungs do not keep trying to take Mil-Par
- Has persistent stomach (abdominal) pain
- Feel the need to take laxatives every day Continued on next page

Are on a 'low sodium diet' (Mil-Par contains 0.684 mg sodium per 5ml dose)

Are under a doctor's care for any reason

Are taking any other medicines. This means medicines you have bought yourself as well as those you have on prescription from your doctor

Are pregnant, think you might be pregnant or are breast feeding.

Important information about some of the ingredients of Mil-Par

Mil-Par contains 0.684mg sodium per dose. To be taken into consideration by patients on a controlled sodium diet.

How to take Mil-Par

Always use Mil-Par exactly as indicated on this label. You should check with your pharmacist if you are not sure. For oral use only. The dose may be mixed with half a glass of milk or water if desired. Not recommended for children except on medical advice. Not recommended for children under two years of age. Do not continue to take this medicine for a long period of time.

Adults (including the elderly): Take 1 or 2 tablespoonfuls (15 – 30 ml) before breakfast or at bedtime.

Children aged 7 years and over: Take 1/2 to 1 tablespoons (7.5 – 15 ml) at bedtime.

Children aged 2 to 7 years: Take 1 or 2 teaspoons (5 – 10 ml) at bedtime.

If you take more Mil-Par than you should speak to your doctor or pharmacist straightaway. Take your medicine or the pack with you so your doctor knows what you have taken. If you forget to take Mil-Par don't worry, do not take a double dose to make up for a missed dose, continue with your usual dose at the next due time.

If your symptoms persist or you have any questions about taking Mil-Par, talk to your doctor or pharmacist. Possible side effects are:

Inflammation and formation of lumps. Prolonged use may cause paraffin to leak from the anus. This may irritate the area.

Accidentally breathing in liquid paraffin may cause congestion of the lungs. If you notice these or any other side effects, stop use and tell your doctor or pharmacist.

Reporting of side effects

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly (see details below). By reporting side effects you can help provide more information on the safety of this medicine.

Ireland: Freepost, Pharmacovigilance Section, Irish Medicnes Boar, Kevin O'Malley House, Earlsfort Centre, Earlsfort Terrace, Dublin 2, Ireland.

Tel: +353 1 6764971, Fax +353 1 6762517, Website: www.imb.ie, email: imbpharmacovigilance@imb.ie Continued on next page

How to store Mil-Par

Keep out of the reach and sight of children.

Do not use Mil-Par after the expiry date shown on the label. The expiry date refers to the last day of that month. Do not store above 25°C. Use within 28 days of opening. Medicines should not be thrown away in normal household waste. Return any unused medicine to a pharmacist. This will help to protect the environment.

Further information

What Mil-Par contains: Each 5ml spoonful of Mil-Par contains the active ingredients magnesium hydroxide mixture 3.75ml and liquid paraffin 1.25ml.

The other ingredients are sodium hydrogen carbonate and purified water.

What Mil-Par looks like and contents of the pack:

Mil-Par is a smooth, white, opaque, oral suspension. Mil-Par is available in pack sizes of 100, 200 and 500 ml. Not all pack sizes may be available.

Product Authorisation Holder and Manufacturer: Seven Seas Limited, Hedon Road, Marfleet, Kingston-upon-Hull, HU9 5NJ, UK.

PA 417/14/1. Mil-Par is a registered trademark

If you would like this leaflet in a different format, please contact the licence holder at the above address.
Label revision date: January 2014

500 ml C

EXP7BN

ARTWORK PANEL

Master Ref: SS67510
ZEN Ref: TR387762

Job Description: Milpar Milpar 500ml (back label A6245G)

A6245G

Date: 07/05/14 Replaces Version: A6245F

Market/Country: Ireland

Cutter Profile: as A6244D - 2 ply label
Printer: Chesapeake (Bourne LIK)

Substrate: Lahel


Technical & Non Printing Items

Cutter Guides

Stock Code

Action:

Colours





Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100


Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

STUDIO USE ONLY Card

Caroline Proudlove

Sm•Art check results: G=0; O=1; R=0; - CP - 07/05/14 16:17:28



ARTWORK PANEL

Master Ref: SS67510 **TR387762** ZEN Ref:

Job Description: Milpar Milpar 500ml (back label A6245G)

A6245G

Stock Code: Action: 07/05/14 Date: Replaces Version: A6245F

Market/Country: Ireland

Cutter Profile: as A6244D - 2 ply label Chesapeake (Bourne, UK)

Substrate: Label

Technical & Non Printing Items

Cutter

Guides

Colours

FAMIUNE Reliex blue C	Auriesive_Deadener	Varriisii	Nelease_varnish
1	2	3	4
FLX	FLX	FLX	FL



Connaught House, Connaught Road, Kingswood Business Park, Hull, HU7 3AP, England. T: +44 (0) 1482 828100

Please note that any low resolution paper Canon colour copies associated with this job should be referred to for content, layout and colour separation only.

UNDER NO CIRCUMSTANCES SHOULD THIS ARTWORK BE ALTERED WITHOUT PRIOR PERMISSION FROM TRIDENT.

STUDIO USE ONLY

Caroline Proudlove

Sm•Art check results: G=0; O=1; R=0; - CP - 07/05/14 16:17:28