

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently. Do not stop taking this medicine unless your doctor tells you to.



and Patient Card for further information.

unborn baby. Always use effective contraception during your treatment with Epilim. If you are thinking about becoming

This medicine can seriously harm an

pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

WARNING FOR WOMEN AND GIRLS Please read the Package Leaflet, Patient Guide and Patient Card for further information.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

This medicine can seriously harm an

unborn baby. Always use effective

contraception during your treatment

If you are thinking about becoming

pregnant, or if you are pregnant,

contact your doctor urgently.

Do not stop taking this medicine

with Epilim.

Do not stop taking this medicine unless your doctor tells you to.



Please read the Package Leaflet, Patient Guide and Patient Card for further information



WARNING FOR WOMEN AND GIRLS

Please read the Package Leaflet, Patient Guide and Patient Card for further information

unless your doctor tells you to.



This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently. Do not stop taking this medicine unless your doctor tells you to.



WARNING FOR WOMEN

AND GIRLS

Please read the Package Leaflet, Patient Guide

and Patient Card for further information

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.



This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.



This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

For additional stickers please contact Sanofi medical information department on 01-4035600 or email IEmedinfo@sanofi.com.



Please read the Package Leaflet, Patient Guide and Patient Card for further information.



Please read the Package Leaflet, Patient Guide and Patient Card for further information



AND GIRLS Please read the Package Leaflet, Patient Guide and Patient Card for further information



Please read the Package Leaflet, Patient Guide and Patient Card for further information.





This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.

This medicine can seriously harm an unborn baby. Always use effective contraception during your treatment with Epilim.

If you are thinking about becoming pregnant, or if you are pregnant, contact your doctor urgently.

Do not stop taking this medicine unless your doctor tells you to.