

PARTICULARS TO APPEAR ON THE IMMEDIATE PACKAGING - LABEL

1. NAME OF THE MEDICINAL PRODUCT

Strepsils Herbal Chesty Cough syrup
Ivy leaf dry extract

2. STATEMENT OF ACTIVE SUBSTANCE(S)

Each mL of the syrup contains 8.25 mg of extract (as dry extract) from *Hedera helix* L., folium (ivy leaf) (4-8:1). Extraction solvent: ethanol 30% (m/m).

3. LIST OF EXCIPIENTS

Contains sorbitol (E420), propylene glycol (E1520) and benzyl alcohol (E1519).
See leaflet for further information.

4. PHARMACEUTICAL FORM AND CONTENTS

Syrup, 100 mL of syrup with measuring spoon

5. METHOD AND ROUTE(S) OF ADMINISTRATION

Read the package leaflet before use.
For oral short-term use only.
Use the measuring spoon provided.
Shake the botte well before use

6. SPECIAL WARNING THAT THE MEDICINAL PRODUCT MUST BE STORED OUT OF THE SIGHT AND REACH OF CHILDREN

Keep out of the sight and reach of children.

7. OTHER SPECIAL WARNING(S), IF NECESSARY

8. EXPIRY DATE

EXP
The product can be used for 3 months after first opening.

9. SPECIAL STORAGE CONDITIONS

Do not store above 25°C after first opening.

10. SPECIAL PRECAUTIONS FOR DISPOSAL OF UNUSED MEDICINAL PRODUCTS OR WASTE MATERIALS DERIVED FROM SUCH MEDICINAL PRODUCTS, IF APPROPRIATE

11. NAME AND ADDRESS OF THE REGISTRATION HOLDER

Reckitt Benckiser Ireland Ltd., 7 Riverwalk, Citywest Business Campus, Dublin 24.

12. REGISTRATION NUMBER(S)

TR0979/087/001

13. BATCH NUMBER

Lot.

14. GENERAL CLASSIFICATION FOR SUPPLY

General Sale

15. INSTRUCTIONS ON USE

Strepsils Herbal Chesty Cough syrup is a traditional herbal medicinal product used as an expectorant in case of productive cough, exclusively based upon long-standing use.

You must talk to a doctor or pharmacist if you feel worse or if you do not feel better after 7 days.

The recommended dose is:

Adolescents from 12 years of age, adults and elderly: using the enclosed measuring spoon take 6 mL of syrup twice daily.

Do not exceed the stated dose.

Do not give this medicine to children under 12 years.

Do not take if you have any hypersensitivity to the active substance, to other plants of the *Araliaceae* (ivy) family or to any of the excipients.

Shake the bottle well before use.

Read the package leaflet before use.

Honey & Thyme Taste

16. INFORMATION IN BRAILLE

17. UNIQUE IDENTIFIER – 2D BARCODE

18. UNIQUE IDENTIFIER - HUMAN READABLE DATA

PARTICULARS TO APPEAR ON THE OUTER PACKAGING - CARTON

1. NAME OF THE MEDICINAL PRODUCT

Strepsils Herbal Chesty Cough syrup

Ivy leaf dry extract

2. STATEMENT OF ACTIVE SUBSTANCE(S)

Each mL of the syrup contains 8.25 mg of extract (as dry extract) from *Hedera helix* L., folium (ivy leaf) (4-8:1). Extraction solvent: ethanol 30% (m/m).

3. LIST OF EXCIPIENTS

Contains sorbitol (E420), propylene glycol (E1520) and benzyl alcohol (E1519).
See leaflet for further information.

4. PHARMACEUTICAL FORM AND CONTENTS

Syrup, 100 mL of syrup with measuring spoon

5. METHOD AND ROUTE(S) OF ADMINISTRATION

Read the package leaflet before use.

For oral short-term use only.

Use the measuring spoon provided.

Shake the botte well before use

6. SPECIAL WARNING THAT THE MEDICINAL PRODUCT MUST BE STORED OUT OF THE SIGHT AND REACH OF CHILDREN

Keep out of the sight and reach of children.

7. OTHER SPECIAL WARNING(S), IF NECESSARY

8. EXPIRY DATE

EXP

The product can be used for 3 months after first opening.

9. SPECIAL STORAGE CONDITIONS

Do not store above 25°C after first opening.

10. SPECIAL PRECAUTIONS FOR DISPOSAL OF UNUSED MEDICINAL PRODUCTS OR WASTE MATERIALS DERIVED FROM SUCH MEDICINAL PRODUCTS, IF APPROPRIATE

11. NAME AND ADDRESS OF THE REGISTRATION HOLDER

Reckitt Benckiser Ireland Ltd, 7 Riverwalk, Citywest Business Campus, Dublin 24.

12. REGISTRATION NUMBER(S)

TR0979/087/001

13. BATCH NUMBER

Lot.

14. GENERAL CLASSIFICATION FOR SUPPLY

General Sale

15. INSTRUCTIONS ON USE

Strepsils Herbal Chesty Cough syrup is a traditional herbal medicinal product used as an expectorant in case of productive cough, exclusively based upon long-standing use.

You must talk to a doctor or pharmacist if you feel worse or if you do not feel better after 7 days.

For oral short-term use only.

The recommended dose is:

Adolescents from 12 years of age, adults and elderly: using the enclosed measuring spoon, take 6 mL of syrup twice daily

Do not exceed the stated dose.

Do not give this medicine to children under 12 years.

Do not take if you have any hypersensitivity to the active substance, to other plants of the *Araliaceae* (ivy) family or to any of the excipients.

Shake the bottle well before use.

Read the package leaflet before use.

Honey & Thyme Taste

16. INFORMATION IN BRAILLE

Strepsils Herbal Chesty Cough syrup

17. UNIQUE IDENTIFIER – 2D BARCODE

<Not applicable.>

18. UNIQUE IDENTIFIER - HUMAN READABLE DATA

<Not applicable.>