

ILARIS®
(canakinumab)
150 mg subcutaneous injection
For the treatment of Gouty Arthritis attacks

If you get any side effects, talk to your doctor, pharmacist or nurse.

You can also report side effects directly via
HPRA Pharmacovigilance, Earlsfort Terrace, IRL - Dublin 2;

Tel: +353 1 6764971; Fax: +353 1 6762517.

Website: www.hpra.ie; E-mail: medsafety@hpra.ie

By reporting side effects, you can help provide more information
on the safety of this medicine. Adverse events should also be
reported to Novartis Ireland by calling 01-2601255 or by email to
drugsafety.dublin@novartis.com

Additional information on canakinumab is available in the Patient Information Leaflet.
A copy of this leaflet will be provided within the canakinumab packaging

Before starting canakinumab

- **Infections:** You should not be treated with canakinumab if you have an active infection.
- **Vaccinations:** Talk to your doctor about any vaccinations you may need before starting treatment with canakinumab.

During canakinumab treatment

- **Risk of infections:** Use of canakinumab is associated with an increased risk of infections, including serious infections.
- Tell your doctor immediately if you have a fever lasting longer than 3 days or other symptoms that might be due to an infection.
- Seek medical attention **immediately** if you develop symptoms such as:
 - prolonged fever, cough or headache, or
 - localised redness, warmth or swelling of your skin, or
 - persistent cough, weight loss and low-grade fever
- **Pregnancy:** If you received canakinumab while you were pregnant, it is important that you inform the baby's doctor or nurse before any vaccinations are given to your baby. Your baby should not receive live vaccines until at least 16 weeks after you received your last dose of canakinumab before giving birth.

Treatment Indication

Please make sure to have a **LIST OF ALL MEDICATIONS** you are taking when visiting a healthcare professional.

Patient's name:

For children: parent's/guardian's name:

Date of most recent dose of canakinumab:

Canakinumab dose administered:

Doctor's name:

Doctor's phone:
