

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via HPRA Pharmacovigilance, Earlsfort Terrace, IRL – Dublin 2; Tel: +353 1 6764971; Fax: +353 1 6762517. Website: www.hpra.ie; E-mail: medsafety@hpra.ie. By reporting side effects you can help provide more information on the safety of this medicine.

medac GmbH
Theaterstraße 6
22880 Wedel
Germany

medac
www.medac.de

Patient reminder card

This reminder card contains important safety information that you need to be aware of before and during treatment with Zoledronic acid medac injections for cancer-related conditions.

Your doctor has recommended that you receive Zoledronic acid medac injections to help prevent bone complications (e.g. fractures) caused by bone metastases, or to reduce the amount of calcium in the blood in adult patients where it is too high due to the presence of a tumour.

A side effect called osteonecrosis of the jaw (ONJ) (bone damage in the jaw) has been reported uncommonly in clinical trials and in the post-marketing setting in patients receiving zoledronic acid injections for cancer-related conditions. ONJ can also occur after stopping treatment.

In order to reduce the risk of developing osteonecrosis of the jaw, there are some precautions you should take:

Before starting treatment:

- Ask your doctor to tell you about ONJ before you start treatment.
- Check with your doctor whether a dental examination is recommended before you start treatment with Zoledronic acid medac.
- Tell your doctor/nurse (health care professional) if you have any problems with your mouth or teeth.

Patients undergoing dental surgery (e.g. tooth extractions), who do not receive routine dental care or have gum disease, are smokers, who get different types of cancer treatments or who were previously treated with a bisphosphonate (used to treat or prevent bone disorders) may have a higher risk of developing ONJ.

While being treated:

- You should maintain good oral hygiene, make sure your dentures fit properly and receive routine dental check-ups.
- If you are under dental treatment or will undergo dental surgery (e.g. tooth extractions), inform your doctor and tell your dentist that you are being treated with Zoledronic acid medac.
- Contact your doctor and dentist immediately if you experience any problems with your mouth or teeth such as loose teeth, pain or swelling, non-healing of sores or discharge, as these could be signs of osteonecrosis of the jaw.

Read the package leaflet for further information.